

™DESLUGGER™

SMP TEMPERATURE CONTROL DIVISION

COMPRESSOR CLUTCH TIMER

DO YOU KNOW HOW LONG IT TOOK THIS COMPRESSOR TO EXPERIENCE CATASTROPHIC DAMAGE DUE TO LIQUID "SLUGGING"?

LESS TIME THAN IT TOOK YOU TO READ THIS QUESTION!





Four Seasons has the solution!

Compressors on many modern A/C systems are mounted low down on the engine. This location leaves the compressor prone to liquid "slugging". When the vehicle sits, oil and liquid refrigerant collects in the compressor body. The result can be hydraulic lock with catastrophic compressor damage on initial compressor engagement. Four Seasons' new Problem Solving Part, the Deslugger's, solves this problem. See inside for more details.



Extend compressor life by eliminating liquid "slugging" with the Four Seasons Deslugger"/!

Four Seasons' Deslugger^{IM} solves this liquid "slugging" problem by pulsing the compressor clutch multiple times during initial engagement. By gradually engaging the compressor trapped liquid is gently moved out, preventing catastrophic hydraulic damage. Once the brief deslugging function is complete, the compressor reverts to normal cycling operation until the system has been off again for more than 30 minutes.

P/H 36140 Hoods CRY Applications

This Deslugger^{IM} is designed for 06-02 Honda CRV's with a Scrott Compressor These vehicles are especially prohe to compressor slugging failures. Instruction sheet included





P/N 36141 GMApplications

This Deslugger™ comes complete with application specific DE style connectors for GM vehicles with Deriso 10S compressors. No splicing or modifications necessary Simply "Plug and Play"

P/N 36142 Chrysler / Dodge Applications

This Deslugger** comes complete with application specific DE style connectors for Chrysler Voyager and Dodge Caravan vehicles with Denso 10S compressors No splicing or modifications necessary. Simply "Plug and Play".



SEE BACK PAGE FOR APPLICATION SPECIFIC PART NUMBERS

COMPRESSOR CLUTCH TIMER

COMPRESSOR LIFE EXTENDER





COMPRESSOR CLUTCH TIMER

An Essential Problem Solving Part

PREVENTS CATASTROPHIC COMPRESSOR DAMAGE FROM LIQUID "SLUGGING" IN LOW MOUNTED COMPRESSORS

REDUCE OR ELIMINATE COMEBACKS

SOLVES KNOWN O.E. ISSUE

SIMPLE INSTALLATION

PROTECTS BOTH NEW & RE-ENGINEERED COMPRESSORS YEAR ROUND PROTECTION

DOUBLE YOUR WARRANTY AND PREVENT LIQUID "SLUGGING" RELATED COMEBACKS...

by Installing the Deslugger™ when replacing the compressor on vehicles with known liquid "slugging" issues.

EXTEND COMPRESSOR LIFE OF INSTALLED HEALTHY UNITS...

by installing the DesluggerTM as a preventative maintenance upgrade. Remember, the compressor runs all year long, even in winter when defrost is engaged. NOTE: The Deslugger is not a fix for units that have already suffered compressor damage.

DESIGNED SPECIFICALLY FOR THESE PART NUMBERS

| Compresso F.N | *Applications | Deskagger™ FAI |
|------------------|--|-------------------|
| 57981 | HarderCR V 2.4L 69: 4/3 | 36 H0 |
| SHIRET | Helio(34244644) | 36340 |
| 77362 | Several Child Com Light Fresh (12-00) | 30111 |
| 27363 | Several Old Confugie Fresh (17-00) | 36341 |
| 77376 | Several GM Card Light Fresh (117-00) | 36'H1 |
| 77377 | Seven OH Contight fresh (11 48) | 36141 |
| 78362 | Sweet@HContigle(trail)(2-00) | 36141 |
| 76363 | Several Config to Treat (12-00) | 16141 |
| 78376 | Seven (M Contight from (11-68) | 36141 |
| 78377 | Sweet Officer Light Treat (11 40) | 36H1 |
| 77:174 | Sevani Chrysler/Todge Carlight Track (CF-81) | 36117 |
| 78374 | Several Chrysler (Todge Claffagte Section 607-011) | 36142 |

*For complete application information roan tiese or visit our eCatelog at www.4scom



DOUBLE

5 YEARS/50,000 MILE

WARRANTY!

Four Seasons stands behind our product. especially the ones we develop in house that solve a known O.E. issue. That's why we now offer more than double the warranty on Four Seasons compressors that the Deslugger™ is specifically designed for *

*When purchased and inscalled with a Four Seasons PACKID and used with the appropriate application. See war ranny for complete details.

