



DOCUMENT HOLDERS



Aluminum Manifest Box

Mill finish aluminum with stainless steel hardware. Top closes into foam gasket, keeping contents dry. Three 1/4" mounting holes.


Part No.	Size
1011535	8 ³ / ₈ " x 13 ³ / ₈ " x 1 ¹ / ₂ "



Lexan Certificate Holder

Surface mount, with spring retainer, tough Lexan body and lid.


Part No.	Size
FC-1	4 ⁷ / ₈ " x 5 ⁷ / ₈ " x 1 ⁵ / ₈ "
FC-1-LID	Lid (Cover)



Document Holder

Rugged aluminum extruded one piece holder with 4 hole mount Railroad approved.

Part No.	Dia.	Length
1011536	1 ⁵ / ₈ "	7"
Rubber End Plugs		
1011536-1	-	-



Permit Holder

Formed rust-proof housing with vinyl pouch with self sealing zipper for easy insertion of paper. Easy mounting. Frame O.D. 4⁷/₈" x 7³/₁₆".

Part No.	Window Size
1010248	3 ⁷ / ₈ " x 5 ¹ / ₈ "



Permit Holder

Laminated for all weather protection. Sealing zipper for easy insertion of paper. Four mounting holes with grommets for easy mounting.

Part No.	Size
GR43411	6" x 9"



Plastic Document Holder

Made of chemical resistant high impact plastic. Cover is smoked polycarbonate and includes permanently adhered gasket. Moisture resistant.

Part No.	Size
TL97960	5.86" x 5.22" x 1.85"
TL97962	Lid (Cover) w/ gasket

Diecast Aluminum Security Box

Convenient waterproof storage licenses, permits, maintenance records, titles and registration papers. Clipboard size: 3¹/₂" x 5¹/₄"

Lid Part No. JK300L.

Part No.	Size
JK300	5 ¹ / ₄ " x 7" x 2"



Model 550 Record Box

Thin box. Will mount on side of exterior post trailer or container without exceeding width limit. Inside size 9¹/₂" x 12¹/₄" x 3/4". High impact plastic. **Lid Part No. JK550L.**

Part No.	Size
JK550	10" x 15" x 1 ¹ / ₄ "



Model 350 Security Box

Space age "Xenoy" construction. Waterproof protection for titles, licenses, vehicle inspection certificates, etc. Enclosure size: 3¹/₂" x 5" x 1"

Part No.	Size
JK350	5 ¹ / ₄ " x 7" x 2"



Model 500 Record Box

Waterproof protection for all permits, manifests, logs and registrations. Heavy duty high impact plastic. Inside size: 10" x 14".

Part No.	Size
JK500	11 ¹ / ₂ " x 16" x 2"





TRAILER PARTS ACCESSORIES

Adjustable Vent

Aluminum. Fits 11¹/₄" x 9¹/₂" opening. Lever allows adjustment of air flowing through four 2" diameter holes.

Part No.	Size
1024359	12 ¹ / ₄ " x 10 ¹ / ₂ "



Vent Door Assembly

White double sealed foamed door with aluminum frame with screen.

Door Ass'y Part No.	1105449
Door Latch Only	1105450
Outside Frame Flange	20" x 15"
Panel Cutout	17 ¹ / ₂ " x 11 ⁵ / ₈ "
Door Opening	16 ⁷ / ₈ " x 11 ⁵ / ₁₆ "



Skylights are molded in one piece from shatter-proof translucent fiberglass reinforced plastic. Supplied complete with self-sealing rubber grommet. For installation into 12" or 16³/₁₆" diameter holes. Easy snap-in installation with grommet cord.

Size	Part No.
12"	1031143
16"	1013055



Folding Step


Investment cast, folding grab or step, zinc plated. Stainless spring holds step in open or closed position. Non-skid step surface. Four inches wide, extends 4 inches when unfolded. **Part No. 1032157**



Chrome Grab Handle

1/2" diameter steel rod. 13" overall 2" high, with 7" grab. Drilled and countersunk for 1/4" screws. Commercial chrome finish.

Part No. 1014218



Stainless Steel Lock Pin

Part No.	Dia.	Usable Length
1012040	5/16"	2 ¹ / ₂ "



Nash Style Tire Carriers

Heavy duty 12 gauge formed steel. Black primer finish. Accommodates tires up to 11x 22.5 and 12 x 24.5. Available assembled or unassembled. (Mounting kit not included.) (Chain and clip included. **Part No. C-2325**)

Description	Part No.
Assembled	1010323
Unassembled	1011590

Nash Style Spare Tire Carrier Mounting Kit

Part No. 981-00055

- Enable installation to I-Beam crossmembers
- Black Primer finish
- Includes zinc plated hardware





ALUMINUM ROOF



Master Coil	
.040 Thickness, 3103B-H26	
Width	Part No.
103"	040X103

Cut To Length Coils	
.040 Thick, 3103B-H26	
103" Wide	
29'	1164512
49'	1164514
54'	1164517

Master coils of aluminum roof coil in bulk quantities are sold by the pound. They vary in weight, with most coils weighing approximately 4000 pounds. This makes a 103" coil approximately 825 feet long.



TRANSLUCENT ROOF



Aluminum view & Translucent view



See the load without the use of a spotlight.



Cut To Length Coils
.060 & .075 thick roof in precut coils. 102" & 102.5" wide.

Length	Part No.
28'	NL060X102X28
29'	NL075X102X29
50'	NL075X102X50
54'	NL075X102X54
29'	NL075X102.5X29
54'	NL075X102.5X54

Master Coil	
.075 Thickness : 500 FT	
Width	Part No.
102"	NL075X102XMC

Master coils of translucent roof coil in bulk quantities are sold by the foot. Coils can go up to 500 feet long.

ETR Cut To Length Coils
.075 thick roof material in precut coils. 102" and 102.5" wide.

Dimension	Part No.
075x102x29	1164531
075x102x54	1164532
075x102.5x54	1164535
075x103x250	1164536

Kemlite ETR Enhanced Tear Resistance
Resistant to Diesel Breaks



Let the Sun Shine In!

KEMLITE TRANSLUCENT ROOF REPAIR KITS

Kemlite Roof repair Kit

Part No. 1164524

CONTENTS:

- 1 Quart of T-Mix
- 1 Tube of catalyst (1/2 Oz.)
- 1 2' x 4' piece of chopped strand mat
- 1 3' x 4' piece of embossed film
- 1 3' x 4' piece of smooth film
- 2 Mixing cups (1 pint)
- 2 Squeegees
- 2 Mixing sticks
- 1 Pair of gloves



Kemlite SunPatch® Fiberglass Repair Kit

Part No. 1164530

Repairs small tears and punctures (12X12)
Cures in 10 minutes after exposure to UV rays
Works in hot or cold climates (0 - 100 degrees F)
No mixing of resin required.

Kit contains:

- 1 patch
- 1 squeegee
- 2 gloves, instructions, and one MSDS sheet.




VANFASTIC - Translucent Patches For Roof Repairs

This is the ideal repair material; the repair can be made from the inside or outside. For large repairs it may be necessary to apply to both sides. Use Easy Off to remove any accumulation of diesel smoke.

Kit No. VF1224T (contains five 12" x 24" self adhesive translucent sheets.) Pack = 5. Sold Each.



GLASTEEL TRANSLUCENT ROOF



USDA Approved Fiberglass

- **Wall Liner**
- **Scuffliner**
- **Translucent Roof**

Glasteel introduces the ideal material for the truck and trailer industry.

Steeliner is a fiberglass reinforced panel recommended for both refrigerated and dry van bodies.

Specially engineered to withstand the abuse common to the trucking industry, Steeliner provides years of low maintenance and trouble free service to you and your customers.

- Impact & abrasion resistant
- Moisture resistant
- Rust & mildew resistant
- Excellent weathering properties
- Low maintenance cost
- Cleans easily
- Sizes up to 105" wide

Part No.	Description
1164250-MC	075X103X250 (Master Coil)
1164500-MC	075x103x500 (Master Coil)
1165075	075x103x55
1165100-TR	075x103x55 (Tear Resistent)



Call for availability of other sizes!







FIBERGLASS SCUFFPLATE - WALL LINER

.090 (3/32") Thickness		
Height in (")	Length in Feet	Part Number
12	53	NL090X12X53
16	53	NL090X16X53
24	48	NL090X24X48
24	53	NL090X24X53
48	53	NL090X48X53
96	48	NL090X96X48
96	53	NL090X96X53
101	53	NL090X101X53

.120 (1/8") Thickness		
Height in (")	Length in Feet	Part Number
12	53	NL120X12X53
16	53	NL120X16X53
49	98	NL120X49X98
96	53	NL120X96X53



Plastic Divider for sheet panels
 Stock Length 120"
Part No. X213X120



Part No.	Description
NL090X4X8	4' x 8' sheet, .090 thick
NL090X4X9	4' x 9' sheet, .090 thick
NL120X4X8	4' x 8' sheet, .120 thick

Kemlite®
Transportation
 PRODUCTS

HARDWOOD WALL SCUFF


Part No.	Description
3/4X624	3/4" thick 624" Long (52 Feet)



ALUMINUM WEARBAND

Part No.	Description
90-4-996-626 (X511X624)	Extruded aluminum, 12" high, (52 feet)

Aluminum for weight savings.
 1.5 lbs. per foot.



PLYWOOD



Part No. 1011011
Description: 5.5mm, BC plywood, 47-7/8" x 98-7/8"
Plywood Screws - Ez In / Ez Out
Part No. 1026075 - #10 x 3/4"
Part No. 1026080 - #10 x 1"
Part No. 1026085 - #10 x 1-1/4"

STEEL WEARBAND

Hot dip galvanized steel wearband



12" High WEARBAND	
Part No.	Description
1014343-47	12" high corrugated steel, 47 feet long.
1014343-52	12" high corrugated steel, 52 feet long.

Corrugated with closed end corrugations for no-sag loading and unloading.




PLASTIC SCUFFPLATE - WALL LINER

Plastic scuffplate is made from high density polyethylene (HDPE), prime pigment, UV-inhibitors, and selected process additives. The HDPE raw material comes from post-consumer waste such as milk bottles as well as manufacturing seconds such as aspirin and soap bottles. This material is cleaned to a purity level of 99% or above HDPE. It resists moisture, corrosion, insect infestation and other elements. It will not absorb moisture, therefore it cannot warp, splinter, crack or rot. Plastic scuffplate can be drilled, cut, or routed.

Current forms of adhesives are not recommended.

27 Foot Length		
Color	Description	Part No.
Black	5/8" x 12" x 27'	1014345
47 Foot Length		
Color	Description	Part No.
Black	5/8" x 12" x 47'	1014346
White	5/8" x 12" x 47'	1014347
52 Foot Length		
Color	Description	Part No.
Black	5/8" x 12" x 52'	1014348
White	5/8" x 12" x 52'	1014349
Black	5/8" x 18" x 52'	1014356
White	5/8" x 18" x 52'	1014357

8 Foot Length		
Color	Description	Part No.
Black	5/8" x 12" x 8'	1014341




TRAILER FLOORING


LAMINATED HARDWOOD FLOORING SHIPLAP, 12 INCH FACE WIDTH

1 1/4 ("A") THICK BOARDS	
Length	Part No.
26'	11/4x312
47' 3"	11/4x568
52'	11/4x624

1 3/8 ("A") THICK BOARDS	
Length	Part No.
26'	13/8x312
47' 3"	13/8x568
52'	13/8x624



1 1/8 ("A") THICK BOARDS	
Length	Part No.
26'	11/8x312
47' 3"	11/8x568
52'	11/8x624



Special Sizes Available!

KEY POLYMER CORP.

•••Restore your Trailer Flooring with Key Polymer Floor Restore Kits!•••
See them in our chemical section!

APITONG FLOORING CONTAINER FLOORING PANELS

Note: Sold by the running foot.
Shiplap.
5 and 7 Inch Widths. 16' Lengths.



Part No.	Description
AP1-1/8X5X16	1-1/8" thick, 5" wide, 16' long. (2240' /bundle)
AP1-1/8X7X16	1-1/8" thick, 7" wide, 16' long. (1600' /bundle)
AP1-5/16X5X16	1-5/16" thick, 5" wide, 16' long. (1792' /bundle)
AP1-5/16X7X16	1-5/16" thick, 7" wide, 16' long. (1280' /bundle)
AP3/4X2-5/8X16	Apitong Tieslat, 3/4" x 2-5/8" x 16'.



Part No. 1310119 (20 pcs/bunk)
19 Ply, 1 1/8" Thick, 4' x 8', Australian Treated.
(Can be purchased as each.)



FASTENERS

What size torx key/bit/driver?

Torx sizes are shown in multiples of 0.1mm, so a size of T20 is 2.0mm. Ideally you should find out the spec of the screw you're trying to undo to be sure you have the correct size torx key. The size is the diameter measured from the inside points of the star. So a measurement of 1.5mm would need a T15 key.



- Extra hard
- Positive torque control
- Maximum drive surface
- Hot formed for optimum performance and wear

Trailer Floor Screws



TORX® Drive

Flat Head Trailer Floor Screws

- Positive TORX Drive
- Easy trouble-Free Installation
- Phosphate and Oil Finish
- Available In Bulk And Plastipack


Bulk Quantities

Size	Bulk Pack	Part No.
1/4-20x1	2800	1013492
1/4-20x1 1/2	2500	1013493
1/4-20x2	1800	1013494
1/4-20x2 1/2	1200	1013495
1/4-20x3	1200	1013496
1/4-20x4	1100	1013498
1/4-20x5	800	1013500
1/4-20x6	700	1013502
5/16-18x2	1200	1025371
5/16-18x2 1/2	1000	1025373
5/16-18x3	900	1025374

Package Quantities

Size	Plasti Pack	Part No.
1/4-20x1	100	1013492-100
1/4-20x1 1/2	100	1013493-100
1/4-20x2	100	1013494-100
1/4-20x2 1/2	100	1013495-100
1/4-20x3	100	1013496-100
1/4-20x4	50	1013498-50
1/4-20x5	50	1013500-50
1/4-20x6	50	1013502-50
5/16-18x2	100	1025371-100
5/16-18x2 1/2	100	1025373-100
5/16-18x3	100	1025374-100

TORX® Insert Bits



1/4" Shank Hex			
Length	Point Size	Actual Size	Part No.
1"	T20		440TX20
1"	T25		440TX25
1"	T30		440TX30
1"	T40		440TX40

5/16" Shank Hex

Length	Point Size	Actual Size	Part No.
1 1/4"	T30		480TX30
1 1/4"	T40		480TX40
1 1/4"	T45		480TX45
1 1/4"	T50		480TX50
1 1/4"	T55		480TX55

Phillips Insert Bits



1/4" Shank Hex

Length	Point Size	Part No.
1"	2	440-2
1"	3	440-3

5/16" Shank Hex



Length	Point Size	Part
1 1/4"	2	480-2
1 1/4"	3	480-3X

Power Sockets

- 1/2" Square Drive
- Form to optimum resistance to wear
- Manufactured from the best materials available
- For self tapping screws
- Engineered for industrial applications



855



858

Hex Opening	Length	Part No.
5/16"	1 3/4"	855
1/4"	1 3/4"	858

MONOBOLT® RIVET

The Monobolt® rivet is a hole filling, multi-grip, structural breakstem rivet available in steel or aluminum construction. Also, it can stop sheet movement in applications with non-standard holes. However, the main feature of the Monobolt® rivet is an internal, mechanical lock of the rivet stem.

Part No. 700-50-28
1/4", .080-.375,
with dome head.



Nylon Drive Rivets Truss Head



Head Dia.	Size	Range	Part No.
5/8	1/4x1	3/16-1/2	1010112


Nylon resin Shell With Steel Zinc Plated Nail




Head Dia.	Size	Range	Part No.
9/16	1/4x3/4	1/8-1/2	1/4X3/4
9/16	1/4x1	1/4-5/8	1/4X1
9/16	1/4x1 1/2	5/16-1 1/8	1/4X1-1/2
9/16	1/4x2	3/4-1 5/8	1/4X2
9/16	1/4x3	1 3/4-2 1/2	1/4X3



STEEL PARTS FOR WOOD FLOORS & BOLT KITS




Trailer Threshold Plate	
Tough 1/8" steel diamond plate. Protects expensive wood flooring from fork lift wear and tear. 1 3/8" lip.	
Part No.	Size
1063098	22 5/8" x 96"




Floor Center Board Channel	
Galvanized steel, 14 gauge. 47' 6" long.	
Part No.	Size
1063099	See Above


DECK CLIP - BASE STEEL
3" x 1-3/16"
Part No. 1011585




TRAILER CROSSMEMBERS



Steel Crossmember				
80,000# PSI				
Part No.	"A"	"B"	Length	Lb/Ft
1157033	3"	2.25"	102"	2.9
1157031	4"	2.25"	102"	3.2
1157039	6"	2.00"	102"	3.7




Heavy Duty		
4" Steel Crossmember		
Intermodal Specifications		
80,000# PSI		
Part No.	Length	Lb/Ft
1157034	102"	3.45



Part No. SK01796
Aluminum T clip, not punched


4" Aluminum Crossmember	
6061T6 Aluminum Alloy	
Part No.	Length
1157030	102"



1157016



1157023



1157024

Crossmember Clips

Part No.	Size
1157016	3 1/8" High, 3 1/2" Wide

Part No.	Size
1157023	4x5, No holes, w/slot
1157024	4-Hole, 4x5, 2x4 Centers, w/slot



Crossmember Bolt Kit	
Contains fasteners for one trailer crossmember installation; 8 heat treated splined step bolts, 8 nylon washers, and 8 flanged lock nuts.	
Part No. 1157015	
Part No. 1157012	
(torx head-no washers)	



SIDE PANELS



**OUR SIDE PANELS:
ALWAYS A QUALITY PRODUCT!**

FLAT SIDE PANELS

PART NUMBER	DESCRIPTION	COMMENTS
.050" ALUMINUM, PREPAINTED		
050X49X110WH	49" X 110" PPW* ONE SIDE, MILL FINISH OPPOSITE	PVC PROTECTIVE COATING
050X49X110WHLP	49" X 110" PPW* ONE SIDE, MILL FINISH OPPOSITE	LESS PROTECTIVE COATING
050X49X120WH	49" X 120" PPW* OPPOSITE, MILL FINISH OPPOSITE	PVC PROTECTIVE COATING
050X49X144WH	49" X 144" PPW* OPPOSITE, MILL FINISH OPPOSITE	PVC PROTECTIVE COATING

ABBREVIATIONS: PPW*: Prepainted White

VANFASTIC - For Van Type Trailers or Truck Bodies

Aluminum Repair Kit Self Adhesive Aluminum & Translucent Patches For Panel Repairs

Can be impressed over rivets. Vanfastic will not add structural integrity; the repair is for cosmetic purposes only.

Can be lightly sanded and painted to match any special finish. - SOLD EACH.

Kit No. V1212G - Sold Each, box contains ten 12" x 12" self adhesive grey aluminum sheets.

Kit No. V1212N - Sold Each, box contains ten 12" x 12" self adhesive bare aluminum sheets.

Kit No. V1212W - Sold Each, box contains ten 12" x 12" self adhesive white aluminum sheets.

Kit No. V1224N - Sold Each, box contains ten 12" x 24" self adhesive bare aluminum sheets.

Kit No. V1224W - Sold Each, box contains five 12" x 24" self adhesive white aluminum sheets.



**Just peel
and apply
over
damaged
area**


VANFASTIC - Translucent Patches For Roof Repairs

This is the ideal repair material; the repair can be made from the inside or outside. For large repairs it may be necessary to apply to both sides. **Kit No. VF1224T**

(contains five 12" x 24" self adhesive translucent sheets.)

Pack = 5. Sold Each.

FRP PANELS




FRP Panels
3/4" Wood Core
7/8" Total Thickness
48" Wide, 120" Long
Part No. 7/8X48X120

FRP Nut & Bolt


Part No. 1010360
Camtainer Nut
5/16-18
Torx T55 Bit

Part No. 1010361
Camtainer Bolt
5/16-18X1
White Encapsulated Head



FRP SPLICE

Aluminum, Vertical, 112" long
Part No. X6316X112



QUICK PATCH FRP REPAIR
Part No. QP300-QT (Quart)

- Easy to use.
- One step repair for scrapes and gouges.
- Can be sanded and/or painted, if desired.
- Repairs surface damage to reefer liners to maintain sanitary standards.
- Bonds and seals plugs for major repair to FRP trailer sidewalls.

KEY POLYMER



ALUMINUM RIVETS

Aluminum Rivet Alloy Identification Marks

Alloy 2117 I.D. Mark Depressed dimple in top center of rivet head

Alloy 1100F I.D. Mark Raised figure "2" on bottom of shank

All rivets are chamfered.

**Standard
Brazier Head
Aluminum Rivets
2 lb. Pack**



**Modified
Brazier Head
Aluminum Rivets
2 lb. Pack**



**Standard
Universal Head
Aluminum Rivets
2 lb. Pack**



**Approximate Pieces Per Pound
Nominal Diameter**

Length	3/16"	1/4"
3/8	523	257
7/16	480	238
1/2	443	222
9/16	411	207
5/8	384	195
3/4	338	174

**Approximate Pieces Per Pound
Nominal Diameter**

Length	3/16"	1/4"
3/8	649	369
7/16	584	331
1/2	531	300
9/16	485	274
5/8	448	253
3/4	387	218

**Approximate Pieces Per Pound
Nominal Diameter**

Length	3/16"	1/4"
3/8	633	306
7/16	571	279
1/2	521	257
9/16	476	238
5/8	441	222
3/4	382	195

**•3/16" Diameter•
~2117T4 Hard Alloy~**

Length	Part No.
3/8	1025900
7/16	1025902
1/2	1025904
9/16	1025906
5/8	1025907
3/4	1025928

**•3/16" Diameter•
~2117T4 Hard Alloy~**

Length	Part No.
3/8	1025921
7/16	1025922
1/2	1025923

**•1/4" Diameter•
~2117T4 Hard Alloy~**

Length	Part No.
1/2	1025919
5/8	1025920
3/4	1025943
7/8	1025944

~1100F Soft Alloy~

Length	Part No.
3/8	1025901
7/16	1025903
1/2	1025905
5/8	1025908



**•3/16" Diameter•
~2117T4 Hard Alloy~**

Length	Part No.
3/8	1025940
1/2	1025941
5/8	1025942

**•1/4" Diameter•
~2117T4 Hard Alloy~**

Length	Part No.
3/8	1025909
1/2	1025910
5/8	1025912
3/4	1025914
7/8	1025915

**•1/4" Diameter•
~2117T4 Hard Alloy~**

Length	Part No.
3/8	1025924
1/2	1025925
5/8	1025926
3/4	1025927
7/16	1025928
9/16	1025929

**•3/8" Diameter•
~2117T4 Hard Alloy~**

Length	Part No.
5/8	1025937
3/4	1025938
7/8	1025939

~1100F Soft Alloy~

Length	Part No.
1/2	1025911
5/8	1025913

**•5/16" Diameter•
~2117T4 Hard Alloy~**

Length	Part No.
1/2	1025947

**Full Brazier Head
Aluminum Rivets - 2 lb. Pack**


**•1/4" Diameter•
~2117T4 Hard Alloy~**

Length	Part No.
7/16	1025931
9/16	1025932
11/16	1025933
1	1025935





TRAILER BODY PARTS NOMENCLATURE





STRICK TRAILER BODY PARTS



Strick knows that your success rides on the quality of their products. Their selection of dry van trailers incorporates customer-driven innovations that ensure low operating costs, reduced trailer maintenance, increased payload capacity, and more miles for your dollar. Strick offers a wide variety of trailer options and customizations to provide you with a trailer that fits your needs precisely.


STRICK NOSE RAILS

Part No. SK01715
one pc. wrap around style, 98^{1/2"}, 7" radius
A: 5-9/16" B: 1-9/32"

Part No. SK52017
straight section for 3 pc. style, 91^{7/8"}
A: 5-9/16" B: 1-21/32"

Part No. SK47284
straight section for 3 pc. style
A: 5.5625" B: 1.057"

Part No. SK47428
straight section for 3 pc. style, 85-11/16"
A: 5" B: 6"



STRICK CORNER CAPS


- Part No. Description**
- SK13256** left/road side 9" radius
- SK13257** right/curb side 9" radius
- SK14393** left/road side
- SK14394** right/curb side
- SK01792** universal, 7" radius
- SK03500** universal, 7" radius
- SK45290** universal, 7" radius
- SK54280** universal 4" radius
- SK54960** universal 4" radius
- SK55724** universal
- SK01793** corner cap protector
- SK57620** corner cap protector



SK13256 top view



SK13256 side view



SK14393 side view



SK14393 top view




SK01792 side view



SK01792 top view



SK03500 side view



SK45290 side view




SK45290 top view



SK03500 top view



SK54280 side view



SK54280 top view



SK55724 side view



SK01793 side view



SK01793 top view



SK55724 top



STRICK OUTER RADIUS PANELS

Part No. SK14408

white aluminum

A: 104.5" B: 13^{5/16"} C: 8^{3/16"}

Part No. SK16313

white aluminum

A: 105.5" B: 10^{1/4"} C: 8^{3/16"}

Part No. SK21887

7" white aluminum radius

A: 101.5" B: 13^{5/16"} C: 15"

Part No. SK30772

White aluminum


A: 102.5" 7" radius

Part No. SK45116

Outer bottom radius protector

Aluminum diamond plate

A: 102.5" 7" radius



Part No. SK47158

7" white aluminum radius

A: 106.5" B: 13^{1/2"} C: 10^{31/32"}

Part No. SK52535

7" aluminum radius

A: 114.5" B: 13^{9/16"} C: 8^{1/8"}

Part No. SK55567

Pre-painted white, 4" radius

A: 105.5" B: 10.97" C: 9.42"

Part No. SK56274

Aluminum pre-painted white

A: 102.5" 4" radius

Part No. SK58964

Extruded aluminum, 4" radius

Round holes on 2" centers

A: 105.5" B: 5.688" C: 5.688"



STRICK INNER RADIUS PANELS

Part No. SK03903

universal galvanized steel

A: 101" B: 5^{1/2"} C: 5^{1/2"}

Part No. SK06782

universal galvanized steel

A: 105" B: 9^{63/64"} C: 16^{3/64"}

Part No. SK44094


universal galvanized steel

A: 105" B: 11^{9/32"} C: 14^{3/4"}

Part No. SK49057

Inner corner radius


A: 105" B: 8.75" C: 15.64"



Part No. SK52636

Inner Liner panel

A: 21.72" B: .70" C: .22"



Part No. SK55012

Inner front corner protector

Galv Steel, 105"

B: 5.825" C: 17.25"



Part No. SK57160

HPDE Liner 96" long, 18.3" tall.



Part No. SK45302

Plastic Liner, white, .45" x 10" x 100"



Part No. SK57498

Inner Angle protector, steel, 105"



STRICK TOP RAILS

Part No. SK06043

A: 5⁹/₁₆" B: 1²¹/₃₂" 51'9³/₈"

Part No. SK03396


A: 5⁹/₁₆" B: 1³/₁₆" 51'9¹/₄"

Part No. SK26609

A: 5⁹/₁₆" B: 1¹¹/₁₆" 27'3¹/₄"

Part No. SK47454

A: 5' B: 6' 51'9¹/₄"



STRICK BOTTOM RAILS

Part No. SK01854

51' length, 10⁵/₈"

A: 8³/₄" B: 1¹/₂"

Part No. SK01857


51' length, 10¹³/₁₆"

A: 8³/₄" B: 1³/₁₆"

Part No. SK47048


27' length, 4⁵/₈"

A: 8³/₄" B: 1³/₁₆"



Part No. SK51322

Bottom Rail Splice Angle
102" Long-Steel-Punched
for Bottom Rail #'s
SK01854, SK01857




Bolt Kit For Bottom Rail
Contains (8) 3/8"-24 x 1 1/4" TORX® Drive Button Head Grade 8 Screws with Nylon Insert Lock Nuts
(Enough bolts and nuts for one crossmember installation)
Part No.1157013



STRICK SIDE POSTS

Part No. SK63580 (steel)
A: 1.312" B: 5.25" 107.5




Part No. SK15909 (alum.)
A: 1.25" B: 5.25" 111.5




Part No. SK27555 (alum.)
A: 29/32" B: 5.25" 116.19

Part No. SK64483 (steel)
A: .69" B: 5.25" 107.5"



Part No. SK54120 (steel - A slot)
A: 3/4" B: 5" 107.38"

Part No. SK53513 (alum.)
A: 15/16" B: 6.88" 104.25"



Part No. SK47050 (steel - A slot)
A: .45" B: 6.75" 109.88"

Part No. SK62433 (14 ga. steel)
A: .75" B: 5" 107.25 Log. "A"

Part No. SK45136 (galv steel)
A: 1.26" B: 5" 107.25 Log. "A"

Part No. SK54244 (alum.)
A: 1" B: 7" 105.88 Log. "A"

Part No. SK57236 (steel)
A: .75" B: 6.5" 107.25 Logistic


Part No. SK59329 (steel)
A: .45" B: 6.75" 108.88" Logistic on 4" centers

Part No. SK45596 (steel)
A: 1.26" B: 5" 104.38" Log. "E"

Part No. SK58998 (14 ga. galv.)
Z starter post, 101", Round holes on 2" centers


STRICK NOSE POST

Part No. SK58425 (STEEL)
LENGTH: 108.25" DEPTH: 3-1/4"
A: 2 11/16" B: 5 1/4" C: 3 1/4"



STRICK ROOF BOWS

Part No.
SK01510 98^{7/8}" high arch
SK01511 92^{15/16}" high arch
SK01512 100^{3/8}" high arch
SK01513 99^{7/16}" high arch
SK27820 98^{7/8}" standard arch



SK06686 93", anti-snag (galvanized)
SK45324 93", anti-snag (aluminum)



STRICK TRAILER ICC BUMPERS

Part No. SK26883

ICC assembly
Yellow with reflective tape.



Part No. SK27856

ICC assembly with bolt on tube & gussetts, white, with reflective tape.

Part No. SK48964

ICC assembly, grey, with reflective tape.



Part No. SK26950

ICC assembly
Yellow with adj. bracket ends, and reflective tape.

Part No. SK49506

ICC assembly, white with reflective tape, L style bolt-on bracket on top for mounting.

Part No. SK56251

ICC assembly with bolt on tube, white, with reflective tape.

Part No. SK48722

ICC assembly dark grey, not taped.



ICC UPRIGHTS:

Part No. SK56425

Roadside, w/bolt on adj. bracket, grey.

SK56426 = curbside

Part No. SK45210

Roadside weldon

Part No. SK45211

Curbside weldon

Part No. SK54919

Roadside with "L" style mounting, grey.

Part No. SK54920

Curbside with "L" style mounting, grey.

ICC Bottom Tube Assemblies



Part No. SK55627

ICC bottom tube, white, with reflective tape, and reinforcements.

Part No. SK27687

ICC bottom tube, white, bolt-on w/reinforcements and reflective tape

Part No. SK30912

ICC roadside gussett, white.

Part No. SK30913

ICC curbside gussett, white.

STRICK MISC BODY PARTS (Crossmembers, J molding, Liner, Hardware)


Part No. SK01695

Crossmember steel assembly, 4" x 101^{3/8}" primed black with welded clips; 3.2# per foot, 80,000 lb. square inch min. yield.



Part No. SK01803

"J" moulding, 1.50" X 12' Inner Dimension: .377 Outer Dimension: .281



Part No. SK01796

Aluminum T clip, not punched



Part No. SK52920

Roadside Door Hook

Part No. SK52921

Curbside Door Hook



Part No. SK47234 -

Slider Rail Repair Plate



Part No. SK47405

Receptacle Box top

Part No. SK47424

Receptacle Box Bottom

Part No. SK03690

roadside L/G gusset




Part No. SK03691

curbside L/G gusset



Part No. SK45048

Overhead door track protector, 10' long.



Part No. SK01135

Light bracket, curbside

Part No. SK01136

Light bracket, roadside